



# Head & Face Protection

Workers are required to wear the correct PPE whenever working in areas where there's potential of falling or flying objects or exposure to chemical splash.

Visit [www.osha.gov](http://www.osha.gov) for complete details and regulation requirements.



## V-Gard® Standard Caps

Durable, injection-molded, high-density polyethylene (HDPE) shell designed with accessory slots to accommodate many add-on features. Available with two types of suspensions: Fas-Trac® III ratchet suspension: 4-point webbed system with large knob for easy adjustment or Staz-On® pinlock suspension: comfortable, 4-point webbed system. Includes sweatband and adjustable crown straps. Meets ANSI/ISEA Z89.1-2009, Type 1, Class E.

ITEM #	ORDER #	COLOR	UOM
<b>V-Gard Standard Cap, Staz-On Pinlock</b>			
463942	308571271	White	Ea
463943	308571281	Blue	Ea
463944	308571301	Yellow	Ea
463945	308571321	Orange	Ea
463946	308571291	Green	Ea
463947	308571311	Red	Ea
463948	308571331	Gray	Ea
815558	308505581	Bright lime green	Ea

475360



ITEM #	ORDER #	COLOR	UOM
<b>V-Gard Standard Cap, Fas-Trac III Ratchet Suspension</b>			
475358	308503581	White	Ea
475359	308553601	Blue	Ea
475360	308553621	Yellow	Ea
475361	308553611	Orange	Ea
475363	308553691	Red	Ea
815565	308522681	Bright lime green	Ea
10061512	308536791	Hi-viz yellow/green	Ea

10150223



10150222

10150200



## V-Gard® GREEN Protective Helmets

Produced from green high-density polyethylene (GHDPE), a biopolymer made from sugarcane-based ethanol. Can be recycled. Offers the added benefits of cutting carbon emissions and reducing atmospheric CO<sub>2</sub>. Available in standard size with Fas-Trac® III ratchet suspension. Third-party SEI certified as Type I, Class E under ANSI/ISEA Z89.1-2009 and CSA Z94.1-2005.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 10150199	308501991	V-Gard GREEN helmet	White	Ea
◆ 10150200	308502001	V-Gard GREEN helmet	Yellow	Ea
◆ 10150221	308502211	V-Gard GREEN helmet	Blue	Ea
◆ 10150222	308502221	V-Gard GREEN helmet	Green	Ea
◆ 10150223	308502231	V-Gard GREEN helmet	Red	Ea



## V-Gard® Protective Full-Brim Hard Hats

Constructed of durable, high-density polyethylene (HDPE) shell with choice of Staz-On® pinlock or Fas-Trac® III ratchet suspension system. Also includes sweatband and adjustable crown straps. Meets ANSI Z89.1-2014, Type 1, Class E, CSA Z94.1-2015 (Class E) and voluntary standard for low temperature [LT] and reverse donning.

ITEM #	ORDER #	COLOR	UOM
<b>V-Gard Full-brim Hat, Staz-On Pinlock</b>			
454730	308547531	Yellow	Ea
454732	308547541	Blue	Ea
454733	308547331	White	Ea
454734	308547551	Orange	Ea
◆ 454735	308547561	Green	Ea
454736	308547361	Red	Ea

ITEM #	ORDER #	COLOR	UOM
<b>V-Gard Full-brim Hat, Fas-Trac III Ratchet</b>			
475366	308555661	Yellow	Ea
475367	308555671	Gray	Ea
475368	308553681	Blue	Ea
475369	308553701	White	Ea
475370	308555681	Green	Ea
475371	308553711	Red	Ea
815570	308599251	Bright lime green	Ea
10021292	308520351	Hi-viz orange	Ea



475369



## Freedom Series™ V-Gard® Protective Hard Hat

Stay compliant while protecting head and expressing patriotism. Bright designs are unique, with a superior shiny finish. Come equipped with MSA's Fas-Trac® III suspension and meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class E) and CSA Z94.1-2015 (Class E). Also meet the ANSI/ISEA Z89.1-2014 and CSA Z94.1-2015 voluntary standard for reverse donning. Look for the official reverse donning symbol to determine if hard hat may be worn backwards without voiding approvals.



10052945

ITEM #	ORDER #	DESCRIPTION	UOM
10052945	308536521	American Stars & Stripes	Ea



## V-Gard® 500 Protective Caps

Provides cooling vents for improved air circulation and comfort. Features Glaregard® surface underbrim to reduce reflective glare, lateral contours above ear for easy hearing protection integration and rain trough that extends all the way around the brim. Come equipped with MSA's Fas-Trac® III suspension (4-pt. or 6-pt.) and meet all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014: Vented (Class C). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT] and reverse donning.



10034019

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
10034018	308528161	V-Gard 500 cap, 4-pt.	White	Ea
10034019	308528171	V-Gard 500 cap, 4-pt.	Blue	Ea
10034020	308528181	V-Gard 500 cap, 4-pt.	Yellow	Ea
10034027	308540271	V-Gard 500 cap, 6-pt.	White	Ea
10034029	308528231	V-Gard 500 cap, 6-pt.	Yellow	Ea



## V-Gard® Frames

Offers helmet-mounted frames for various work conditions and user helmets. Sloped design allows liquids, chips and other materials to slide off frame and away from the line of sight. Meets ANSI/ISEA Z87.1-2010 requirements.



10115730

ITEM #	ORDER #	DESCRIPTION	UOM
10115730	3085850D1	V-Gard frame for slotted caps w/ debris control	Ea
10121266	3085851D1	V-Gard frame for slotted caps w/out debris control	Ea
10115822	3085852D1	V-Gard universal frame for slotted caps w/ debris control	Ea
10121268	3085853D1	V-Gard universal frame for slotted caps w/out debris control	Ea
10115821	308558281	V-Gard frame ET for slotted caps w/ debris control	Ea
♦ 10154622	308546221	V-Gard frame for slotted hats	Ea



## V-Gard® Visors

A full line of visors for use with V-Gard chin protectors and frames. Made of wire mesh, polycarbonate (PC) or propionate (prop). Only works with V-Gard frames. Meets ANSI/ISEA Z87.1-2010 requirements.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
♦ 10116557	3085854D1	V-Gard visor, mesh w/ plastic edge	8" x 17" x .098"	Ea
10115840	308507381	V-Gard visor, clear, PC, contoured	8" x 17" x .06"	Ea
10115855	3085340E1	V-Gard visor, clear, prop, formed	8" x 17" x .098"	Ea
10115836	3085355E1	V-Gard visor, clear, PC, side-contours	8" x 17" x .04"	Ea



10116557

10115855

10115836



## V-Gard® Accessory Kits

V-Gard accessory kits are designed to offer easy customer solutions for a variety of needs, in one convenient box.

### 10118694 Contains:

- Hi-viz orange V-Gard cap with ratchet suspension (**488146**)
- V-Gard frame for slotted caps with debris control (**10115730**)
- V-Gard mesh nitrometer (**10116558**)
- V-Gard retractable chin protector (**10115828**)
- Left/right, high (NPR 28 db) cap-mounted earmuffs (**10087422**)

### 10118697 Contains:

- V-Gard universal frame for caps with debris control (**10115822**)
- V-Gard clear, polycarbonate visor, 8" x 17" x .04" (**10115836**)
- Does not contain a MSA safety helmet

ITEM #	ORDER #	DESCRIPTION	UOM
♦ 10118694	308586981	V-Gard forestry kit	Ea
♦ 10118697	308586971	V-Gard accessory system kit w/out V-Gard cap	Ea



10118694

♦ Non-stock item. Minimum quantity may apply.



## Replacement Suspensions for V-Gard® Caps and Hats

MSA's line of hard hat suspensions are available in a variety of sizes. Hard hat sold separately.

- Fas-Trac® III suspension is a 4-point webbed system with a large knob for easy adjustment
- Staz-On® suspension is a comfortable, 4-point webbed system

ITEM #	ORDER #	DESCRIPTION	UOM
10153385	308501811	Fas-Trac III suspension for Skullgard & Comfo-Cap® helmets	Ea
10148708	308587081	Fas-Trac III suspension, 4-pt. for V-Gard & V-Gard 500	Ea
10087218	3085196C1	Staz-On suspension for V-Gard cap or hat	Ea

10087218



454617



## Skullgard® Protective Hats and Caps

Features heavy-duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Natural tan. Meets all applicable requirements for a Type I (top impact) helmet as outlined in ANSI/ISEA Z89.1-2014 (Class G). Also meets the ANSI/ISEA Z89.1-2014 voluntary standard for low temperature [LT].

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 454617	308547221	Cap w/ Staz-On® pinlock suspension	Ea
475395	308555791	Cap w/ Fas-Trac® III ratchet suspension	Ea
454664	308547301	Full brim hat w/ Staz-On pinlock suspension	Ea
475407	308555861	Full brim hat w/ Fas-Trac III ratchet suspension	Ea



696688



## Terri-Band Sweatbands

Custom design sweatband with plastic snaps fits all MSA helmets. Washable.

ITEM #	ORDER #	DESCRIPTION	UOM
696688	308566885	Custom terri-band sweatband	10/Pk



## N-Ferno® 6821 Fleece Balaclava

Features 340 g stretch polyester fleece for warmth and comfort. Reflective accent for higher visibility. Universal. Black.



16821

ITEM #	ORDER #	DESCRIPTION	UOM
16821	332103741	Fleece balaclava	Ea

Head & Face Protection



V410



## Baseball Style Bump Cap

Outer 100% polyester twill baseball cap features high-profile, 6-panel design with top of cap holes for cooling ventilation. Inside, a separate hard plastic polyethylene shell cap insert encircles top, front and both sides of head to protect against bumps and scrapes. Foam padding enhances comfort. Bump cap insert also sold separately. Universal. Navy. Non-ANSI compliant.

ITEM #	ORDER #	DESCRIPTION	UOM
V410	325302161	Baseball bump cap w/ insert	Ea
V400	325302171	Bump cap insert	Ea



## Terry Toppers® Snap-On Sweatbands for Hard Hats

Constructed from 100% super-absorbent soft terry cotton and offers plush, not scratchy, texture. Sweatband absorbs without needing to be washed first. Installs easily with snap-on application and helps hard hat fit securely. No foam middle. Machine washable. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
870B20-01	325302671	Snap-on hard hat sweatband	Navy	Ea
870B20-15	325302651	Snap-on hard hat sweatband	Beige	Ea



870B20-15



## Tuff Nougies® Doo Rags

Made of 100% absorbent cotton fabric with rear ties for secure fit and double layer of cotton around forehead for added comfort and absorption. FR versions are flame-resistant through 50 home washes. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN5-INFR-FR11	325316111	Tuff Nougies doo rag, FR	Gray	Ea
TN5-INFR-HVY	325316131	Tuff Nougies doo rag, FR	Hi-viz yellow	Ea
TN5-INFR-018	325316181	Tuff Nougies doo rag, FR	Navy	Ea
TN5-INFR-04	325316191	Tuff Nougies doo rag, FR	Green	Ea
TN5-INFR-KHK	325316211	Tuff Nougies doo rag, FR	Khaki	Ea
◆ TN5-NAV	325302411	Tuff Nougies doo rag	Navy	Ea
◆ TN5-BLACK	325302341	Tuff Nougies doo rag	Black	Ea
TN5-WAV	325302441	Tuff Nougies doo rag	Wavy flag	Ea



TN5-WAV



TN6-WAV



## Tuff Nougies® Tie Hats with Elastic Rear Band

Features rear ties for a snug fit and 360° of 100% absorbent cotton terry (with additional soft foam under the front for comfort). Cotton elastic back-of-head band provides a secure fit. FR version is flame-resistant until washed. Universal.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
TN6-FLA	325302511	Tuff Nougies tie hat	Big flame	Ea
TN6-WAV	325302561	Tuff Nougies tie hat	Wavy flag	Ea
TN6-BLACK	325302471	Tuff Nougies tie hat	Black	Ea
TN6-JFL	325302521	Tuff Nougies tie hat	Jungle flage	Ea
TN6-12	325316125	Tuff Nougies tie hat	Assorted	12/PK
TN6-FR-BLK	325328751	Tuff Nougies tie hat, FR	Black	Ea



## Cowboy Hard Hats

High-density polyethylene (HDPE) outer shell resists penetration. Features custom-curved extra wide brim for UV and rain protection plus vintage-inspired pinch-front top for authentic cowboy appeal. Water-resistant. Includes 6-point ratchet suspension. One size fits most. Complies with ANSI Z89.1, Type 1, Class E and G.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
VCB200-W	325302771	Cowboy hard hat	White	Ea
VCB200-B	325302741	Cowboy hard hat	Black	Ea
VCB200-G	325302751	Cowboy hard hat	Gray	Ea
VCB200-T	325302761	Cowboy hard hat	Tan	Ea



VCB200-B

VCB200-G



14831



## Jackson Safety\* SC-16 Fiberglass Caps

Fiberglass protection for higher heat applications. Smooth dome design. Firm, comfortable fit with padded, absorbent brow pad. Accessory slots for attaching additional personal protective equipment. 4-Point ratchet suspension. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class G and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14831	C24115851	SC-16 hard hat	White	Ea
◆ 14829	C24115841	SC-16 hard hat	Yellow	Ea



## Jackson Safety\* SC-6 Hard Hats

Smooth dome design. Lightweight; molded from dielectric high-density polyethylene (HDPE). Features 4-point comfort ratchet suspension and accessory slots for attaching additional personal protection equipment. Head sizes 6 1/2" to 8". Meets ANSI Z89.1, Class C, G and E.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM	ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
14833	C24115871	SC-6 Hard hat	Yellow	Ea	14838	C24115911	SC-6 Hard hat	Blue	Ea
14834	C24115881	SC-6 Hard hat	White	Ea	14839	C24115921	SC-6 Hard hat	Orange	Ea
14837	C24115901	SC-6 Hard hat	Green	Ea	14841	C24115931	SC-6 Hard hat	Red	Ea



14838



## Jackson Safety\* Blockhead\* Hard Hats

Full 360° brim protects wearer from nature's elements. Lightweight. Molded from high-density polyethylene (HDPE). Features 8-point ratchet suspension. Soft, absorbent cloth absorbs sweat, keeping wearer comfortable. Meet ANSI Z89.1, Type 1, Class G, E and C.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
20697	C24121131	Blockhead* hard hat	White	Ea
20698	C24121141	Blockhead* hard hat	Yellow	Ea
20699	C24121151	Blockhead* hard hat	Blue	Ea
20701	C24121161	Blockhead* hard hat	Orange	Ea



## Jackson Safety\* 382-B Cap Adapter

Blade-mounted for slotted hats. Totally dielectric and includes spark deflector. Faceshield sold separately. Fits SC-6, Sentry III\* and Charger\* hard hats.

Note: Dielectric means all exposed parts are plastic or rubber.



ITEM #	ORDER #	DESCRIPTION	UOM
14944	C24116191	382-B cap adapter	Ea



## Jackson Safety\* 170-SB Headgear

Enables attachment of Jackson Safety\* faceshields. Headgear with large spark deflector. Ratchet suspension.



ITEM #	ORDER #	DESCRIPTION	UOM
14940	C24116141	170-SB headgear	Ea



## Jackson Safety\* Faceshields

**Polycarbonate:** Impact performance. Good performance against heat. Excellent cold flexibility.


**Acetate:** Robust combination of weight and strength. Excellent cold flexibility.

**Polycarbonate Special:** Perform well in high heat or cold environments for specialty applications.

**Wire Mesh:** Wear with faceshield to dissipate heat. Ideal for flying debris applications. Airflow for comfort.

Headgear sold separately. Meets ANSI Z87.1 2010 standards.

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
<b>F20 Polycarbonate Faceshield</b>				
29087	C24118581	34-60-PC Clear, unbound	8" x 15 1/2" x .060"	Ea
<b>F30 Acetate Faceshields</b>				
29052	C24114231	8154 Clear, bound	8" x 15 1/2" x .040"	Ea
29053	C24114301	8154M Medium green, bound	8" x 15 1/2" x .040"	Ea
29079	C24118381	34-40 Clear, bound	9" x 15 1/2" x .040"	Ea
29082	C24118471	34-41 Light green, bound	9" x 15 1/2" x .040"	Ea
29091	C24118671	34-40 Clear, bound, bulk	9" x 15 1/2" x .040"	Ea
29090	C24118641	34-42 Dark green, bound, bulk	9" x 15 1/2" x .040"	Ea
<b>F50 Polycarbonate Special Faceshield</b>				
29080	C24118401	34-65 Shade 5.0, bound	9" x 15 1/2" x .060"	Ea
<b>F60 Wire Faceshields</b>				
29102	C24126011	6513 Wire mesh, bound	9" x 15 1/2" x .060"	Ea
29055	C24114221	815 Wire mesh, bound	8" x 15.5" x .020"	Ea



14945



## Jackson Safety\* 37 Hatshield

Curved aluminum channel and coil spring attachment allows attachment of any Jackson Safety\* faceshield to protective full brim hat.

ITEM #	ORDER #	DESCRIPTION	UOM
14945	C24116201	37 Hatshield, metal	Ea
14393	C24112701	Model-H bracket hat adapter	Ea



## Jackson Safety\* HDG 10 Model K Headgear

Ratchet headgear with spark deflector. Soft, absorbent, wraparound, foam-cushioned sweatband gently hugs the natural shape of the head.

ITEM #	ORDER #	DESCRIPTION	UOM
14381	C24112961	Model K ratchet headgear w/ spark deflector	Ea



14381



## Jackson Safety\* Capshields

**337 Capshield** is a fully dielectric device for non-slotted caps. Features curved channel that fits over bill of the cap for bill forward wear and secures with adjustable rubber headband that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

**437 Blade-mount capshield** is a fully dielectric plastic attachment for slotted caps. Curved channel fits over bill of cap for bill forward wear and includes pivoting blades, which snap easily into cap slots. Faceshields secured with integral plastic lugs.

**137 Capshield** is a metal device for non-slotted caps. Features curved aluminum channel that fits over bill of cap for bill forward wear and secures with coiled spring that stretches around the exterior cap crown. Faceshields secured with integral plastic lugs.

Note: Dielectric means all exposed parts are plastic or rubber.

ITEM #	ORDER #	DESCRIPTION	UOM
14946	C24116211	337 Capshield	Ea
14947	C24116221	437 Blade-mount capshield	Ea
14948	C24116231	137 Capshield	Ea



14946



## Serpent® Safety Helmets

Ultra-comfortable safety helmets that offer durable head protection for a wide range of work environments. Sleek, snake-head-like shell design provides modern style. Manufactured from lightweight (13.1 oz.), high-density polyethylene (HDPE) material. Comfortable 8-point, 6-strap nylon suspension provides exceptional impact absorption. Independently tested to meet the ANSI Z89.1 standard for Type 1, Class E, G and C safety helmets. Independently tested to meet the voluntary ANSI Z89.1-2009 standards for lower temperature, reverse donning and high visibility (hi-viz shell colors only).

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
72200	323327301	Serpent safety helmet	White	Ea
72201	323327311	Serpent safety helmet	Yellow	Ea
72203	323327321	Serpent safety helmet	Blue	Ea
72216	323327331	Serpent safety helmet	Hi-viz orange	Ea
72218	323327341	Serpent safety helmet	Hi-viz limon	Ea



72203



677



## Venom® Headgear Unit

Three-part comfort adjustment system makes it easy to wear for all-day applications. Extra-soft brow pad and nape strap delivers superior comfort. Meets ANSI Z87.1+ High Impact standard. Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards.

ITEM #	ORDER #	DESCRIPTION	UOM
◆ 677	323301061	Venom headgear unit	Ea



679



## Venom® Face Protection

Contoured visor design creates a more complete seal to block debris. Contemporary headgear design offers lightweight construction with soft brow pad and nape strap for comfort. Three-part adjustment system provides custom fit, and tension adjustment ensures that visor will stay in place when raised. Measures: 9" x 15 1/2" x .060". Independently tested and certified by UL® to meet ANSI Z87.1 and CSA Z94.3 standards. Visors are for use with Venom headgear.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ 679	323306791	Venom Combo-Pak w/ 677 headgear & 675 visor		Ea
675	323301071	Venom visor	Clear	Ea
678	323327251	Venom visor	Smoke	Ea
676	323327261	Venom visor	Clear, anti-fog	Ea





## WELDAS® SWEATSOpad® Headbands

Made from absorbent, 100% fleece cotton. Features air cushion layer, absorbs excessive perspiration and helps to minimize "helmet-head" and helmet slippage. Eliminates the frustration of wearing a helmet over a sweatband. Flame-retardant treated with hook-and-loop fastener. Russet.

ITEM #	ORDER #	DESCRIPTION	UOM
20-3100V	C25400605	Welding helmet headband	2/Pk
20-3200V	C25400615	Hard hat headband	2/Pk



20-3200V



### Classic Series Hard Hats

Designed with a wide profile which offers heightened protection from elements, including UV rays. Standard 1" (2.54 cm) wide seamless nylon straps increase balance and comfort. Comes with 6-point, Flex-Gear® suspensions with ratchet adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Also meets CSA Z94.1-2015, Type I, Class E and G. Custom logo printing available.



C30KBR

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
C30WHR	164805231	Model C30R cap	White	Ea
C30YLR	164805251	Model C30R cap	Yellow	Ea
C30RDR	164805131	Model C30R cap	Red	Ea
C30FGR	164804841	Model C30R cap	Forest green	Ea
C30KBR	164804951	Model C30R cap	Kentucky blue	Ea
C30ORR	164805091	Model C30R cap	Orange	Ea
C33WHR	164806251	Model C33R full brim hard hat	White	Ea
C33YLR	164806271	Model C33R full brim hard hat	Yellow	Ea
C33RDR	164806151	Model C33R full brim hard hat	Red	Ea
C33KBR	164805971	Model C33R full brim hard hat	Kentucky blue	Ea



### Model S51 Hard Hats

Flat front, trim profile shell design combines a perfect fit with a look that workers prefer. Features rain trough and poly brow pad for comfort. Lightweight, high-density polyethylene (HDPE) construction for durability. Available with 4-point suspension with self-sizing pinlock or Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G and CSA Z94.1-2015, Type 1, Class E and G. Custom logo printing available.



51YLP

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
51WHP	164807661	Pinlock suspension	White	Ea
51YLP	164807701	Pinlock suspension	Yellow	Ea
51KBP	164807111	Pinlock suspension	Kentucky blue	Ea
51WHR	164807681	Ratchet suspension	White	Ea
51YLR	164807721	Ratchet suspension	Yellow	Ea
51KBR	164807131	Ratchet suspension	Kentucky blue	Ea



### Model S61 Hard Hats

Features lightweight, high-density polyethylene (HDPE) construction and low-profile, rounded front design. The 4-point suspension includes cotton brow pad and Flex-Gear® ratchet size adjustment. Meets ANSI/ISEA Z89.1-2014, Type I, Class E and G. Custom logo printing available.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
61HOR	164807971	Model S61 hard hat	Hi-viz orange	Ea
61WHR	164808131	Model S61 hard hat	White	Ea
61YLR	164808151	Model S61 hard hat	Yellow	Ea
◆ 61RDR	164808091	Model S61 hard hat	Red	Ea
61KBR	164808011	Model S61 hard hat	Kentucky blue	Ea



61RDR

### Bullard Bump Caps

Offers wearer a sleek style combined with user comfort and maximum versatility. Provides protection against minor bumps, bruises and lacerations. Features double hoop design for greater reinforcement and durability along with an easy-to-assemble user replaceable suspension. Lightweight, high-density polyethylene (HDPE). Interchangeable brow pad available in easy-to-clean vinyl and absorbent polyester for comfortable fit.




BCYLP

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
BCWHV	164823321	Bump cap w/ vinyl brow pad	White	Ea
◆ BCWHP	164823331	Bump cap w/ polyester brow pad	White	Ea
BCYLV	164823341	Bump cap w/ vinyl brow pad	Yellow	Ea
BCYLP	164823351	Bump cap w/ polyester brow pad	Yellow	Ea

## Bullard Faceshield Brackets

Securely attach hard hats with the faceshield bracket that suits your needs. Gold Line aluminum faceshield brackets, made from resilient, gold-anodized aluminum, resist corrosion and heat, making them ideal for chemical handling and high-heat industrial applications. Front-mounting. Meets ANSI/ISEA Z87.1-2015 High Impact.



100G

ITEM #	ORDER #	DESCRIPTION	UOM
100G	164804331	Aluminum bracket, fits cap Models C30, S51, S61, S62, 911C & bump cap	Ea
112G	164804361	Aluminum bracket, fits full brim hat Models C33, 911H, C34 & S71	Ea

## Bullard Visors


Flat acetate is for chemical applications and light impact protection. Heat-formed polycarbonate is for high-heat applications with little or no exposure to chemicals.

(Heat-formed visors are curved to the shape of the bracket to minimize stress cracking and improve ease of attachment).


Acetate visors and polycarbonate visors (plus Tritan) meet ANSI/ISEA Z87.1-2015 High Impact.



860P



840MG



840M

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
◆ 640	164808451	Flat acetate visor, basic impact	Clear	6" x 15" x .040"	Ea
◆ 640G	164808461	Flat acetate visor	Dark green	6" x 15" x .040"	Ea
◆ 640PW3	164801331	Polycarbonate visor, basic impact	Shade 3	6" x 15" x .040"	Ea
◆ 640PW5	164801341	Polycarbonate visor, basic impact	Shade 5	6" x 15" x .040"	Ea
◆ 680P	164808471	Polycarbonate visor, extra thick	Clear	6" x 15" x .080"	Ea
840M	164808201	Flat acetate visor, basic impact	Clear	8" x 15" x .040"	Ea
840MG	164808811	Flat acetate visor, basic impact	Dark green	8" x 15" x .040"	Ea
860P	164808871	Polycarbonate visor	Clear	8" x 15" x .060"	Ea
840P	164808841	Polycarbonate visor, basic impact	Clear	8" x 15" x .040"	Ea
860H	164808861	Acetate visor, heat-formed	Clear	8" x 15" x .060"	Ea
◆ E840ME	164801451	Economy flat multi-fit polyester visor	Clear	8" x 15" x .040"	Ea
◆ 880P	164809091	Polycarbonate visor, extra thick	Clear	8" x 15" x .080"	Ea
840ME	164808801	Flat polyester visor	Clear	8" x 15" x .040"	Ea
◆ 840MH	164808821	Multi-fit acetate visor	Clear	8" x 15" x .040"	Ea
◆ 840PW3	164801361	Flat multi-fit polycarbonate visor	Shade 3	8" x 15" x .040"	Ea
◆ 840PW5	164801371	Flat multi-fit polycarbonate visor	Shade 5	8" x 15" x .040"	Ea
◆ 840PX2	164808851	Polycarbonate visor for Sentinel 2 only	Clear	7" x 15" x .040"	Ea
◆ 840PX2W3	164801381	Polycarbonate visor for Sentinel 2 only	Shade 3	7" x 15" x .040"	Ea
◆ 840MX2	164808831	Flat acetate visor for Sentinel 2 only	Clear	7" x 15" x .040"	Ea
◆ 840PX2W5	164801391	Polycarbonate visor for Sentinel 2 only	Shade 5	7" x 15" x .040"	Ea
◆ 840TX2	164801401	Tritan visor for Sentinel 2 only	Clear	7" x 15" x .040"	Ea
◆ 840T	164814821	Tritan visor, heat formed	Clear	8" x 15" x .040"	Ea
◆ 860T	164801481	Tritan visor, heat formed	Clear	8" x 15" x .060"	Ea
◆ WS60TM	164801351	Flat multi-fit Tritan visor	Clear	9" x 19.75" x .060"	Ea
◆ 880T	164801431	Tritan visor, heat formed, extra thick	Clear	8" x 15" x .080"	Ea
◆ 680T	164801311	Flat multi-fit Tritan visor	Clear	6" x 15" x .080"	Ea
◆ CS40	164801061	Flat multi-fit acetate visor	Clear	9" x 19.75" x .040"	Ea
WS60PM	164804211	Flat multi-fit polycarbonate visor	Clear	9" x 19.75" x .060"	Ea
◆ 6S24	164801321	Mesh screen visor	Black	6" x 15" x 24"	Ea
8S24	164808791	Mesh screen visor	Black	8" x 15" x 24"	Ea



300BW

## Bullard Dielectric Faceshield Brackets

Securely attach hard hats with faceshield bracket. Dielectric brackets are constructed from lightweight, durable nylon and are suited for general-duty applications. Front-mounting. Meets ANSI Z87.1-2015 High Impact when used in combination with Bullard headgear or faceshield brackets. Fits cap Models C30, Advent®, S51, S61, bump cap and S62.

ITEM #	ORDER #	DESCRIPTION	UOM
300BW	164805271	Dielectric bracket w/ neoprene gasket	Ea
300B	164805261	Dielectric bracket	Ea

◆ Non-stock item. Minimum quantity may apply.





## Bionic® Faceshields and Replacement Visors

Provides excellent optics, visibility, and enhanced protection from airborne debris. Ideal for workers exposed to falling or flying objects, impact, chemical splash and other debris. Features extended chin and top-of-head protection, lightweight and balanced design to reduce head and neck strain, cell foam on back of headgear, and breathable, washable sweatband up front. Dual position visors are easy to replace and attach securely. Comfortably worn with most goggles, eyewear and respirators. Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.



ITEM #	ORDER #	DESCRIPTION	LENS	UOM
S8500	341535081	Bionic faceshield, polycarbonate visor	Clear, uncoated	Ea
S8510	341535101	Bionic faceshield, polycarbonate visor	Clear, hardcoat, anti-fog	Ea
<b>Replacement Visors</b>				
S8550	341535121	Polycarbonate visor	Clear, uncoated	Ea
S8555	341535131	Polycarbonate visor	Clear, hardcoat, anti-fog	Ea
♦ S8560	341535141	Polycarbonate visor	Shade 3.0, uncoated	Ea
S8565	341535151	Polycarbonate visor	Shade 5.0, uncoated	Ea



RBPCOOL

## Bullard® Replacement Brow Pads

Brow pads cushion while absorbing moisture to keep wearers feeling cool and clean. Replaceable on all Standard and Classic Series hard hats. Velcro® easily in place over original pads, ensuring comfort and protection. RBPCOOL replacement brow pad is made of Polartec® wicking material that moves sweat away from the worker's brow. RBPCOTTON is a large, absorbent cotton replacement pad. Both styles fit all current Bullard® hard hats.

ITEM #	ORDER #	DESCRIPTION	UOM
RBPCOOL	164810511	Polartec replacement brow pad	Ea
RBPCOTTON	164802961	Large cotton replacement brow pad	Ea



## Turboshield™

Perfect for workers exposed to falling or flying objects, impact, splash and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs. Flexible head-cushioning suspension cradle provides 300% greater contact area than traditional suspensions to eliminate pressure points for all-day wear. Simple push-button release system allows for easy visor exchange in seconds. Feel safer with 50% more chin coverage compared to traditional visors, without the need for bulky accessories. Control knobs are large and ergonomically designed for easy adjustment, even while wearing gloves. Visor slides back 7", improving balance and weight distribution. Headgear features breathable, removable, washable headband; toric lens provides excellent optics, increased field of view and added chin coverage without bulky attachments. Clear and Gray lenses available with dual anti-scratch/anti-fog coating for longer visor life and reduced fogging. Ergonomically designed ratcheting headgear mechanism assures quick, easy adjustment to achieve an optimal fit. Hard hat adapter accessory is compatible with multiple hard hats, including Fibre-Metal®, North® and most major competitor styles. Positive-locking hinge secures visor in raised and lowered positions. Integrated brim guard ensures gap-free fit and protection from overhead debris. Meets ANSI Z87.1-2010 and CSA Z94.3 standards. Faceshields offer secondary protection and must be worn with spectacles or goggles.



S9510

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
♦ S9500	341595011	Turboshield ratchet headgear	Black	Ea
♦ S9510	341595101	Turboshield hard hat adapter	Black	Ea
♦ S9550	341595501	Polycarbonate replacement visor	Clear, uncoated	Ea
♦ S9555	341595551	Polycarbonate replacement visor	Clear, hardcoat, anti-fog	Ea
S9575	341595751	Polycarbonate replacement visor	Gray, hardcoat, anti-fog	Ea
S9560	341595601	Polycarbonate replacement visor	Shade 3.0, uncoated	Ea
S9565	341595651	Polycarbonate replacement visor	Shade 5.0, uncoated	Ea



11390065



## Protecto-Shield® Prolok® Headgear and Visors

Tough thermoplastic headgear provides impact and splash protection and feature heat-resistant browguard. Specially designed with chemical splash drip edge to prevent fluids from splashing down inside the visor. Easy sizing and tension adjustment for individual visor positioning. Visors measure 8 1/2" x 15" x .070" and attach easily without snaps, posts or levers. Meets ANSI Z87.1-2010 and CSA Z94.3 standards.

Note: Faceshields [and face screens] provide secondary eye protection only and must be worn along with approved primary eye protection, such as safety glasses or goggles, in order to provide complete eye protection.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
11380048	341500481	V5N Prolok headgear w/ ratchet adjustment & sweatband	Medium green	Ea
<b>Molded Replacement Visors</b>				
11390065	341500471	Polycarbonate visor, poly bag	Clear	Ea
11390064	341500441	Propionate visor, poly bag	Clear	Ea
11390069	341537891	Propionate visor	Shade 6.0	Ea



**Honeywell**

## SuperEight® Caps and Hats

High-quality thermoplastic hats and caps feature unique, smooth crown that eliminates the danger of falling objects being trapped by ribs, ridges or slots. Wearer can adjust head size by using rear-located ratchet mechanism and tilting the headband. All hats and caps include 8-point suspension and available with Fibre-Metal non-slip/non-strip ratchet, SwingStrap™ or TabLok™ headgear. All styles are SEI certified to meet ANSI Z89.1-2009, Type 1, Class E.

Note: Available in a variety of colors. E2 cap is compatible with Quik-Lok® or Speedy® Loop helmet attachment system for faceshield and welding helmets. Call customer service for more information.



E1RW71A000

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
E2RW01A000	614609301	Hard cap	White	Ea
E2RW02A000	614609321	Hard cap	Yellow	Ea
E2RW15A000	614609311	Hard cap	Red	Ea
E2RW71A000	347686911	Hard cap	Blue	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
E1RW01A000	614609151	Full brim hard hat	White	Ea
E1RW02A000	614609251	Full brim hard hat	Yellow	Ea
E1RW15A000	614609261	Full brim hard hat	Red	Ea
E1RW71A000	614609271	Full brim hard hat	Blue	Ea

**Honeywell**

## Roughneck™ P2 Hard Hats

Made of an injection-molded fiberglass compound. Solid color resin for permanent, no-chip, no-peel finish. Features smooth, matte finish for cleaner, crisper logo imprints. Impact resistance up to 500° F. Compatible with Quik-Lok® or Speedy® Loop helmet attachment system for faceshields and welding helmets. SEI third-party certified. Meets ANSI-Z89.1-2009, Type 1, Class G and CSA Z94.1-2005, Type 1, Class G or C (Class C for Quik-Lok model).



P2HNRW01A000

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
♦ P2HNRW71A000	347686651	High heat hard hat	Blue	Speedy Loop	Ea
P2HNRW01A000	347686681	High heat hard hat	White	Speedy Loop	Ea
♦ P2HNRW74A000	347691211	High heat hard hat	Green	Quick-Lok	Ea
P2HNRW71A000	347688661	High heat hard hat	Blue	Quick-Lok	Ea



F500



F400



FM70

## Honeywell F300, F400 and F500 Series Faceshield Headgear

A variety of faceshield headgear with crown protectors provides the level of protection you need. All models feature lightweight and heat-resistant Noryl® (the same material used in welding helmets) crown protectors and ratchet headbands (windows sold separately). Meets ANSI Z87.1+ High Impact standard. Certified to the requirements of the CSA Z94.3 standard.

**F300** lightweight faceshield headgear provides general face protection for light-duty applications. Easily fits over spectacles, leaving room for air circulation to prevent fogging. Accommodates standard size (8" x 11 1/2") windows.

**F400** features a deeper 4" crown protector to extend protection without increasing weight. Incorporates wide-vision (8" x 17") wraparound windows and screens which provide 40% more protective area than standard size faceshields. Fits easily over required spectacles or respirators.

**F500** includes a broader, deeper 7" crown protector to provide an extra margin of protection when harsh working conditions require it. Features the exclusive Channel Grip System that mounts wide, wraparound windows and locks them into place to form a perfect seal from dust, dirt and debris. Includes Fibre-Metal classic 3-C, free-floating headgear.

ITEM #	ORDER #	DESCRIPTION	UOM
F300	347686341	Light-duty faceshield headgear w/ 3" crown protector	Ea
F400	614601731	Medium-duty faceshield headgear w/ 4" crown protector	Ea
F500	614601761	Heavy-duty faceshield headgear w/ 7" crown protector	Ea

## Honeywell Faceshield Headgear Combinations

Protective cap-mounting mechanisms easily and safely secure Fibre-Metal® faceshields to hard hats. Constructed from Noryl®, these faceshield brackets offer durable protection. Model 5000 with Speedy® Loop mounting loops is adjustable and provides easy on and off mounting on protective caps.

ITEM #	ORDER #	DESCRIPTION	UOM
F4400	614601741	F400 faceshield bracket w/ Quick-Lok® caps, 4" crown	Ea
F5400	614601771	F500 faceshield bracket w/ Speedy Loop mounts, 4" crown	Ea
F5500	614601781	F500 faceshield bracket w/ Speedy Loop mounts, 7" crown	Ea
♦ 5000	614606911	5000 Speedy Loop attachment & adapter headband kit	Ea

**Honeywell**

## Faceshield Hard Hat Brackets

Provides positive seal to keep debris from filtering between cap and shield. May be pivoted above cap between uses without removing the cap. Hard hat and faceshield not included.

ITEM #	ORDER #	DESCRIPTION	UOM
FM70	614602441	Fully dielectric mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
FH66	614601811	Aluminum mounting bracket for Fibre-Metal P2, E2 hard hats	Ea
♦ FM71	614602471	Dielectric frame for extended outdoor use, fits wide windows only, for Fibre-Metal E1 full brim hats	Ea

♦ Non-stock item. Minimum quantity may apply.



## High-Performance® Faceshield Windows

Windows are preformed to the exact curve of crown protectors for easy installation, exact fit and perfect seal against dust, dirt and debris. They are .060" thick, yet cost no more than ordinary .040" thick windows. Easily fit over required protective spectacles or respirators. Hard hat and frame not included.

ITEM #	ORDER #	DESCRIPTION	COLOR	SIZES	UOM
4118CL	614606221	Standard window, fits F300 Series	Clear	8" x 11 1/4"	Ea
4178CL	614606241	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Clear	8" x 16 1/2"	Ea
4178DGN	614606251	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Dark green	8" x 16 1/2"	Ea
4199CL	614606291	Extended view window, fits F400, F500 Series & FH66	Clear	9 3/4" x 19"	Ea
4199DGN	614606301	Extended view window, fits F400, F500 Series & FH66	Dark green	9 3/4" x 19"	Ea
4178IRUV5	614606271	Wide window, fits F400, F500 Series & FH66, FM70, FM71	Shade 5.0	8" x 16 1/2"	Ea
4199IRUV5	614606321	Extended view window, fits F400, F500 Series & FH66	Shade 5.0	9 3/4" x 19"	Ea



## North Zone™ Hard Hats

Contemporary high density polyethylene (HDPE) shell design with 4 large areas for custom logo imprinting or other personalization options. Features slots for cap-mounted earmuffs, faceshields and other PPE accessories, removable and replaceable rear comfort cradle, 3-level height adjustment (Low, Medium, High), and ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL). Includes moisture-wicking, breathable sweatband that is easily removable, washable and replaceable. Available with quick-fit pinlock or ratchet suspension. Meets ANSI Type I, Class C, G and E requirements.

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
<b>Quick Fit Pinlock Suspension</b>				
◆ N10010000	341574151	North Zone hard hat	White	Ea
◆ N10020000	341574161	North Zone hard hat	Yellow	Ea
◆ N10030000	341574171	North Zone hard hat	Orange	Ea
◆ N10040000	341574181	North Zone hard hat	Green	Ea
◆ N10050000	341574191	North Zone hard hat	Hi-viz red	Ea
◆ N10070000	341574201	North Zone hard hat	Sky blue	Ea
◆ N10080000	341574211	North Zone hard hat	Navy blue	Ea
◆ N10090000	341574221	North Zone hard hat	Gray	Ea
◆ N10100000	341574231	North Zone hard hat	Tan	Ea
◆ N10110000	341574241	North Zone hard hat	Black	Ea
◆ N10120000	341574251	North Zone hard hat	Brown	Ea
◆ N10130000	341574261	North Zone hard hat	Gold	Ea
◆ N10150000	347600371	North Zone hard hat	Red	Ea
◆ N10170000	341574271	North Zone hard hat	Royal blue	Ea
◆ N10200000	341574281	North Zone hard hat	Hot pink	Ea
◆ N10440000	341574301	North Zone hard hat	Hi-viz yellow	Ea
◆ N10460000	341574311	North Zone hard hat	Hi-viz orange	Ea
<b>Ratchet Suspension</b>				
◆ N10R010000	341574321	North Zone hard hat	White	Ea
◆ N10R020000	341574331	North Zone hard hat	Yellow	Ea

ITEM #	ORDER #	DESCRIPTION	COLOR	UOM
◆ N10R030000	341574341	North Zone hard hat	Orange	Ea
◆ N10R040000	341574351	North Zone hard hat	Green	Ea
◆ N10R050000	341574361	North Zone hard hat	Hi-viz red	Ea
◆ N10R070000	341574371	North Zone hard hat	Sky blue	Ea
◆ N10R080000	341574381	North Zone hard hat	Navy blue	Ea
◆ N10R090000	341574391	North Zone hard hat	Gray	Ea
◆ N10R100000	341574401	North Zone hard hat	Tan	Ea
◆ N10R110000	341574411	North Zone hard hat	Black	Ea
◆ N10R120000	341574421	North Zone hard hat	Brown	Ea
◆ N10R130000	341574431	North Zone hard hat	Gold	Ea
◆ N10R150000	341574441	North Zone hard hat	Red	Ea
◆ N10R170000	341574451	North Zone hard hat	Royal blue	Ea
◆ N10R200000	341574461	North Zone hard hat	Hot pink	Ea
◆ N10R440000	341574471	North Zone hard hat	Hi-viz yellow	Ea
◆ N10R460000	341574481	North Zone hard hat	Hi-viz orange	Ea
<b>Replacement Parts</b>				
◆ N10S	341574491	North Zone quick-fit pinlock suspension		Ea
◆ N10RS	341574501	North Zone ratchet suspension		Ea
◆ N10SB	341574511	North Zone sweatband		Ea
◆ N10RC	341574521	North Zone cradle		Ea



## Headgear Brackets and Faceshields

Headgear features locking cams which eliminate snaps and lower replacement costs. Aluminum rim headgear bracket (102) features a 5-system cam lock for added impact resistance. Ratchet, take-up headgear (103) also features a 5-system cam lock for heightened impact resistance, a large ratchet handle, and a cotton sweatband for comfortable fit. Constructed from ABS material and a crown made of nylon 66. All headgear accepts most manufacturers' universally punched windows. Meets ANSI Z87.1+ High Impact standard. For use as secondary protection only. Faceshields sold separately.



ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
102	331404401	Aluminum rim headgear bracket		Ea
103	331401031	Ratchet take-up headgear		Ea
101640	331404391	Clear, universal PETG faceshield	10" x 15 1/2" x .040"	Ea
102040	331404411	Clear, universal PETG faceshield	10" x 20" x .040"	Ea

ITEM #	ORDER #	DESCRIPTION	SIZES	UOM
181540	331404461	Clear, universal PC faceshield	8" x 15 1/2" x .040"	Ea
181560	331404471	Clear, universal PC faceshield	8" x 15 1/2" x .060"	Ea
181640	331410721	Clear, universal PETG faceshield	8" x 15 1/2" x .040"	Ea
181640A	331404481	Clear, PETG aluminum bound faceshield	8" x 15 1/2" x .040"	Ea



8250100000

8270000000



8278300000



H-801R

## 3M 3M™ H8A Deluxe Ratchet Headgear

Five-position crown strap with ratchet adjustment offers comfortable, snug fit. No snaps, caps or bands. High-strength thermoplastic crown provides impact resistance over a wide range of temperatures. Easy-Change feature allows for quick faceshield replacement. Faceshields sold separately. Meets ANSI Z87.1+ High Impact standard when worn with 3M™ Faceshields.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
8250100000	665520871	H8A Deluxe ratchet headgear	Ea

## 3M 3M™ Faceshields

Polycarbonate faceshields help provide good heat resistance and high impact face protection. Faceshield mounts quickly to any 3M™ Headgear without tools, snaps or cams. WP96C features dark green color for high glare reduction. Non-infrared absorbing. Measures: 9" x 14 1/2" x .08". Meets the High Impact requirements of ANSI Z87.1-2010 when worn with 3M™ headgear.

WARNING: All faceshields must be worn with safety glasses or safety goggles.

ITEM #	ORDER #	DESCRIPTION	UOM
8270100000	665564341	WP96 Clear Polycarbonate Faceshield	Ea
◆ 8270200000	665573571	WP96C Dark Green Polycarbonate Faceshield	Ea
8254300000	665573441	WP98 Clear Polycarbonate Faceshield for HCP8	Ea
8270000000	665573961	Clear Propionate Faceshield	Ea

## 3M 3M™ Ratchet Headgear

82783-00000 is a combination headgear and faceshield safety system. Includes H8A ratchet headgear and WP96 polycarbonate faceshield. Adjustable ratchet suspension. Molded faceshield provides impact protection. Requires protective eyewear, sold separately.

82521-10000 headgear and chin protector assembly helps deliver reliable face protection. Includes high-strength ratchet headgear and clear polycarbonate chin protector. 3M™ Faceshield WP98 not included. For use when extra chin protection is required.

ITEM #	ORDER #	DESCRIPTION	UOM
8278300000	665564351	H8A Ratchet Headgear w/ WP96 Clear Polycarbonate Faceshield	Ea
8252110000	665573411	HCP8 Ratchet Headgear w/ Clear Chin Protector	Ea

## 3M 3M™ Hard Hat H-800 Series

Protective full brim hard hat with comfortable 4-point ratchet suspension and standard brow pad. Suspension sits lower on head to reduce pressure and increase security. Optimized comfort with three levels of height adjustment. Optional Uvicator™ sensor offers workers an easy way to monitor hard hat's exposure to the sun, so wearer will know when to replace it. Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C, G and E.

ITEM #	ORDER #	DESCRIPTION	UOM
H-801R	665587211	Hard Hat H-800 Series	Ea
◆ H-801R-UV	665587431	Hard Hat H-800 Series w/ Uvicator™ Sensor	Ea

### ! WARNING

These eye and face protection products help provide limited eye and face protection. Misuse or failure to follow warnings and instructions may result in serious potential injury, including blindness or death. For proper use, selection, and applications against flying particles, optical radiation and/or splash see supervisor, read *User Instructions* and warnings on the package or call 3M PSD Technical Service in the USA at 1-800-243-4630. In Canada, call 1-800-267-4414.

## 3M 3M™ Hard Hat H-700 Series

Tough and lightweight. Designed with a low profile for improved stability and balance. Comfortable protection from small falling objects that strike the top of hard hat. Features replaceable brow pad, short brim for better upward visibility and accessory slots to accommodate earmuffs, headgear, faceshields and welding helmets. Available with 4-point pinlock or ratchet suspension with height adjustment. Ideal for heavy and light industrial work, construction, oil and gas, forestry and mining. Non-vented meets the requirements of ANSI/ISEA Z89.1-2009 Type I, Class C, G and E. Vented meets the requirements of ANSI/ISEA Z89.1-2009 Type I, Class C.

ITEM #	ORDER #	DESCRIPTION	COLOR	SUSPENSION	UOM
H-701R	665527011	Hard Hat H-700 Series	White	Ratchet	Ea
◆ H-701P	665577821	Hard Hat H-700 Series	White	Pinlock	Ea
◆ H-701V	665536041	Hard Hat H-700 Series, Vented	White	Ratchet	Ea
H-703R	665527131	Hard Hat H-700 Series	Blue	Ratchet	Ea



H-701V

◆ Non-stock item. Minimum quantity may apply.