

Lighting

When adequate illumination is not obtainable by permanent lighting sources, temporary lighting may be used as supplementation.

Visit www.osha.gov for complete details and regulation requirements.



0780 **Blackjack™ Helmet Holders**

Made of aerospace aluminum. Features low-profile design, stainless steel hardware and Teflon®-coated attachment screws for secure grip. Includes an integrated allen-key. Full House Blackjack helmet holder works with the following Pelican™ flashlights: 2400, 2400N, 2410, 2430, 2450 and the 2460. Ace Blackjack helmet holder works with the following Pelican flashlights: 2300, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2380R, 3320, 3330, and 7000. All In Blackjack helmet holder works with the following Pelican flashlights: 3310 and 3315 LED.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|------------------------------------|-----|
| 0780 | 548500481 | Full House Blackjack helmet holder | Ea |
| 0781 | 548500531 | Ace Blackjack helmet holder | Ea |
| 0782 | 548500551 | All In Blackjack helmet holder | Ea |



0783 **Blackjack™ Double Down Strap Retainer**

Features (4) polymer clips which adhere to most standard-size helmets using industrial-grade adhesive to keep headlamp straps secure in nearly any configuration.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--------------------------------------|------|
| 0783 | 548500575 | Blackjack double down strap retainer | 4/Pk |



1920 **Ultra Compact Aluminum LED Flashlight**

Made with anodized-alloy housing. Features up to 120-lumen output, waterproof design under temporary conditions and on/off push button. Includes convenient carbon-steel pocket clip. Powered by (2) AAA batteries (included). Lifetime warranty. 5 1/2" Length. Black.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---------------------------------------|-----|
| 1920 | 548519201 | Ultra compact aluminum LED flashlight | Ea |



9435 **Remote Area Lighting System**

Battery-powered, safety-approved handheld remote area light. Made with polycarbonate body. Features 1,500-lumen output on high, 750-lumen output on low and up to 10 hours of run time. Closed dimensions: 7.87" W x 15.75" L x 9.06" H. Extended mast height: 32.28". Powered by (1) NiMH battery (included) with battery level indicator. Lifetime warranty. Certifications: RoHS Compliant, CE Approved, Class 1, Division 2, IECEx ic, ATEX Zone 2. Orange.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|----------------------------------|-----|
| 9435 | 548594351 | 9435 Remote area lighting system | Ea |



9490 Remote Area Lighting System

Features 6,000-lumen output on low, 3,000-lumen output on high and up to 24 hours of run time with quick-release, swappable power pack. 72" Deployable mast with 340° rotation. Intelligent control allows for various light level output levels via remote control. Offers full time battery level indicator with low level flashing indicator. Lifetime warranty. Weighs 32 lbs. Black.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|----------|----------------------------------|-----|
| 9490 | 54850038 | 9490 Remote area lighting system | Ea |



9490



1965



MityLite™ 1965 LED Flashlight

Features lightweight and compact design, rotary bezel and 21-lumen output with 4-hour run time. Powered by (2) AAA alkaline batteries (included). Lifetime warranty. 5.48" Length. Yellow.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|----------|-----------|--------------------------|-----|
| 1965-YEL | 548501601 | MityLite 1965 flashlight | Ea |



3310PL



3310PL Medium LED Flashlight

Features photoluminescent technology which emits a bright glow making it highly visible in pitch black environments. Offers 202-hour run time (low), compact and lightweight design and removable lanyard. 378-lumens on high, 39-lumens on low. Powered by (3) AA alkaline batteries (included). IPX7 waterproof. Lifetime warranty. 6.14" Length.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------------------|-----|
| 3310PL | 548500261 | 3310PL Medium LED light | Ea |



1910 Small LED Flashlight

Made with compact aluminum, type II anodized body and LED polycarbonate lens. Features high carbon steel clip, momentary switch type and on/off push button. Offers 72-lumens on high and 14-lumens on low. Waterproof under temporary conditions. Powered by (1) AAA alkaline battery (included). Lifetime warranty. 3 3/4" Length. Black.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---------------------------|-----|
| 1910 | 548519101 | 1910 Small LED flashlight | Ea |



1910



HeadsUp Lite™ 2690 LED Headlight

Brighter, more efficient headlight. Features compact and lightweight design, 74-lumen output and 11 hours of battery run time. Safety approved for the most versatile environments. Offers rotary bezel switch and heavy-duty cloth and rubber straps. Impact-, chemical- and water-resistant. Powered by (3) AAA alkaline batteries (included). Lifetime warranty. Certifications: Class I, Division 1, Class II, Division 1, Class III, Division 1, IECEx ia. 2.81" Length. Black.



2690

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-----------------------------|-----|
| 2690 | 548526901 | HeadsUp Lite 2690 headlight | Ea |



2130



Mini Flasher™ 2130 LED

High-visibility mini-flasher that is visible up to 1/2 mile. Made of polycarbonate resin. Features up to 100 hours of burn time, on/off twist design and submersible construction. Powered by (2) L1145 1.2 V alkaline coin cells (included). Lifetime warranty. 1.73" Length.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--------------|-----|
| 2130 | 548500731 | Mini Flasher | Ea |



2400PL



StealthLite™ 2400PL Luminescent Waterproof Flashlight

Constructed with Lexan® EXL resin body, corrosion-proof K-Resin® shroud and high-impact, polycarbonate lens. Outfitted with a lens ring that emits a bright glow in the dark. Photoluminescent material in plastic absorbs energy from any light source - fluorescent lights, sun, or even the flashlight's own beam. Xenon lamp module produces bright white beam which cuts through water, smoke, fog and rain. Submersible to 500'. Features 25-lumen output, double shock-mounted battery compartment, adjustable wrist lanyard and nearly 4 hours of run time. IPX7 submersible rating. Class I, Division 1 certified. Powered by (4) AA alkaline batteries (included). Lifetime warranty. 6.49" Length. Yellow.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|------------------------------------|-----|
| 2400PL | 548500181 | StealthLite luminescent flashlight | Ea |



2380R



2380R Tactical Flashlight

Features slide-beam technology, USB recharge-ability and full battery level indication. Offers high performance LED lamp, multiple modes (high, strobe, low) and high carbon steel clip. Provides up to 25 hours of run time, 305-lumen output on high and 30-lumen output on low. Powered by (2) CR-123 disposable, rechargeable batteries (included). Lifetime warranty. 6.48" Length. Black.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---------------------------|-----|
| 2380R | 548500031 | 2380R Tactical flashlight | Ea |



2720



2720 LED Headlight

Features gesture activation control technology which turns on headlight with the wave of a hand, allowing operation when hands are gloved, wet or oily. Offers low level red light that preserves night vision, signaling red (S.O.S) beacon light and optical 4X magnification allows for a wide or penetrating beam. Provides variable light output from 100% to 10% by the press of a button. Powered by (3) AAA alkaline batteries (included). Rubber head strap included. Lifetime warranty. 2.48" Length. Black.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-----|
| 2720 | 548527201 | LED headlight w/ gesture activation control | Ea |



9415



9415 Large LED Lantern Light

Safety-approved lantern for the most volatile work areas. Made with ABS body. Features 413-lumen output, 360-yard illumination and high/low/flashing light modes with battery level indicator. Powered by (4) LED NiMH batteries (included). Lifetime warranty. 8.75" Length. Yellow.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|------------------------------|-----|
| 9415 | 548594151 | 9415 Large LED lantern light | Ea |



3310ELS



3310ELS Emergency Lighting Station

Features self-contained glowing beacon and flashlight that's easy to locate in the dark. Made with photoluminescent polycarbonate body, polycarbonate lens and high/low/flashing modes. Housed in clear tamper-proof case that mounts to wall, making it highly visible during a power outage. Offers 234-lumen output, up to 202 hours of run time and IPX7 waterproof design. Powered by (3) AA alkaline batteries (included). Lifetime warranty. 6.14" Length.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|---------|-----------|------------------------------------|-----|
| 3310ELS | 548500251 | 3310ELS Emergency lighting station | Ea |



9410L



9410L Rechargeable LED Lantern

Made with ABS body. Features lightweight design, 450-yard illuminate distance and 120° rotating head. Offers battery status indicator and 3-mode switch (high, low and flashing). Provides 1,253-lumen output on high, 553-lumen output on low and up to 10 1/2 hours of run time. Powered by (4) D NiMH batteries (included). National Fire Protection Association certified. Lifetime warranty. Weighs 3 lbs. Yellow.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------------------------|-----|
| 9410L | 548594101 | 9410 Rechargeable LED lantern | Ea |



7000 Tactical LED Flashlight

Pocket-sized tactical flashlight constructed with aluminum body. Features 602-lumen output, intense center beam and 4 light modes (high, medium, low, strobe). Offers up to 16 hours of run time and programmable light settings. Powered by (2) CR-123 batteries (included). Lifetime warranty. 5.31" Length. Black.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|------------------------------|-----|
| 7000 | 548500071 | 7000 Tactical LED flashlight | Ea |



7000

◆ Non-stock item. Minimum quantity may apply.



2765



Pelican™ Triple-Powered LED Headlamp

Features (3) positioned LED lights which produce up to 105-lumens. Provides up to 9 1/2 hours of run time, full time battery level indicator and multiple modes (high, low, downcast, flashing). Downcast mode allows for pathway lighting without blinding your partner. Includes cloth and rubber straps for a variety of head and helmet applications. Ultra-compact and lightweight. Powered by (3) AAA alkaline batteries (included). Division 1 Approved. Lifetime warranty. 2.25" Length.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------------------------------|-----|
| 2765 | 548500311 | Pelican triple-powered LED headlamp | Ea |



2010



SabreLite™ 2010 LED™ Flashlights

Made with durable, lightweight EXL body. Produces white collimated beam as bright as incandescent light. Twist on/off lens shroud eliminates accidental discharge. Features submersible design, 161-lumen output and 22-hour run time. Powered by (3) C alkaline batteries (included). Lifetime warranty. 8.11" Length. Yellow.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--------------------------------|-----|
| 2010 | 548501721 | SabreLite LED flashlight | Ea |
| 2010PL | 548520121 | SabreLite LED photoluminescent | Ea |



2745



2745 LED Headlamp

Made with polycarbonate body, lens and shroud. Features ultra-compact and lightweight design, provides 33-lumens and up to 40 hours of run time. Offers multiple modes including high, low and flashing. Includes cloth and rubber head straps as well as center mount adhesive helmet clip. Class I, Division 1 certified. Powered by (3) AAA alkaline batteries (included). Lifetime warranty. 2.25" Length.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------------|-----|
| 2745 | 548500191 | 2745 LED headlamp | Ea |



2410PL



StealthLite™ 2410PL LED Flashlight

Features collimated LED beam and EXL resin body. Provides corrosion-proof and submersible design and is resistant to extreme temperatures. Offers 183-lumen output, up to 5 hours and 45 minutes of run time and IPX7 rating. Can be attached to your hard hat with optimal helmet light holder. Powered by (4) AA alkaline batteries (included). Lifetime warranty. 7" Length. Yellow.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--|-----|
| 2410PL | 548524101 | StealthLite 2410PL LED flashlight w/ photoluminescent shroud | Ea |



Coleman® Divide™ + 350L LED Flashlight

Made of strong, lightweight aluminum. Features impact- and water-resistant design and BatteryLock™ system which stops battery drain. Offers 350-lumens and two light settings (high and low). Powered by (4) AA batteries (included). Ideal for camping, outdoor use and emergency survival. Black.



2000028655

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------------|-----------|--------------------------------------|-----|
| ◆ 2000028655 | 623905081 | Coleman Divide + 350L LED flashlight | Ea |



2000025267



Coleman® Divide™ LED Headlamp

Features BatteryLock™ system which stops battery drain to preserve battery life and reduce corrosion to protect your device. Offers fully-adjustable head strap, single-button operation and five modes (high spot, high flood, low spot, low flood, red). IPX4 water-resistant design. Powered by (3) AAA batteries (included).

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------------|-----------|------------------------|-----|
| ◆ 2000025267 | 623905091 | 275-lumen LED headlamp | Ea |

DURACELL® CopperTop Alkaline Batteries

Long-lasting, reliable power for frequently used devices. Engineered to deliver just the right level of power for most electronic needs. Rated for reliable operation in temperature extremes from -20° C to 54° C and contain no added mercury. Guaranteed fresh for 7 years.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|-----------|-----------|------------------------|-------|
| MN1300 | 169027505 | D CopperTop alkaline | 12/Pk |
| MN1500BKD | 169027535 | AA CopperTop alkaline | 24/Pk |
| MN2400BKD | 169001635 | AAA CopperTop alkaline | 24/Pk |



DURACELL® Procell® Alkaline Batteries

Features reliable operation in extremes from -4° F to 129° F and dependable, long-lasting power. Ideal for motion sensors, testing equipment, flashlights and portable electronics. Guaranteed for 7 years in storage.

| ITEM # | ORDER # | DESCRIPTION | UOM |
|-------------|-----------|--------------------|-------|
| PC1300 | 169029035 | Alkaline D/1.5 V | 12/Pk |
| PC1400 | 169018405 | Alkaline C/1.5 V | 12/Pk |
| PC1500BKD09 | 169021485 | Alkaline AA/1.5 V | 24/Pk |
| PC1604BKD09 | 169027495 | Alkaline/9 V | 12/Pk |
| PC2400BKD09 | 169036485 | Alkaline AAA/1.5 V | 24/Pk |



◆ Non-stock item. Minimum quantity may apply.